

DIN/69871

Porta fresas fijo antivibratorio conicidad DIN/138  
 Antivibratory shell mill adaptors DIN/138



**TC40**

**ANTIVIBRATORIO**

REFERENCIA	D	L	A	B
TC40L150D16AV	16	150	38	50
TC40L200D16AV		200		
TC40L250D16AV		250		
TC40L300D16AV		300		
TC40L150D22AV	22	150	48	50
TC40L200D22AV		200		
TC40L250D22AV		250		
TC40L300D22AV		300		

**TC50**

REFERENCIA	D	L	A	B
TC50L150D16AV	16	150	38	80
TC50L200D16AV		200		
TC50L250D16AV		250		
TC50L300D16AV		300		
TC50L400D16AV		400		
TC50L200D22AV	22	200	48	80
TC50L250D22AV		250		
TC50L300D22AV		300		
TC50L400D22AV		400		
TC50L500D22AV		500		
TC50L200D27AV	27	200	58	80
TC50L250D27AV		250		
TC50L300D27AV		300		
TC50L400D27AV		400		
TC50L500D27AV		500		

Especial para moldistas y troquelistas, reduce las vibraciones en un 60% comparandolo con un porta standard.

Special for mould and die makers, vibration reduced up to 60% compared to any other conventional shell mill adaptor.

7

DIN/69871

Porta fresas fijo antivibratorio DIN/138  
Antivibratory shell mill adaptors DIN/138



## TC40

ANTIVIBRATORIO

REFERENCIA	D	L	A
TC40L150D16AV-38	16	150	38
TC40L200D16AV-38		200	
TC40L250D16AV-38		250	
TC40L300D16AV-38		300	
TC40L150D22AV-48	22	150	48
TC40L200D22AV-48		200	
TC40L250D22AV-48		250	
TC40L300D22AV-48		300	
TC40L150D27AV-58	27	150	58
TC40L200D27AV-58		200	
TC40L250D27AV-58		250	
TC40L300D27AV-58		300	

## TC50


REFERENCIA	D	L	A
TC50L150D16AV-38	16	150	38
TC50L200D16AV-38		200	
TC50L250D16AV-38		250	
TC50L300D16AV-38		300	
TC50L400D16AV-38		400	
TC50L200D22AV-48	22	200	48
TC50L250D22AV-48		250	
TC50L300D22AV-48		300	
TC50L400D22AV-48		400	
TC50L500D22AV-48		500	
TC50L200D22AV-60	22	200	60
TC50L250D22AV-60		250	
TC50L300D22AV-60		300	
TC50L400D22AV-60		400	
TC50L500D22AV-60		500	

Especial para moldistas y troquelistas, reduce las vibraciones en un 60% comparandolo con un porta standard.  
Special for mould and die makers, vibration reduced up to 60% compared to any other conventional shell mill adaptor.

**TC50** →

DIN/69871

Porta fresas fijo antivibratorio DIN/138  
Antivibratory shell mill adaptors DIN/138



TC50

ANTIVIBRATORIO

REFERENCIA	D	L	A
TC50L200D27AV-58	27	200	58
TC50L250D27AV-58		250	
TC50L300D27AV-58		300	
TC50L400D27AV-58		400	
TC50L500D27AV-58		500	
TC50L200D32AV-78	32	200	78
TC50L250D32AV-78		250	
TC50L300D32AV-78		300	
TC50L400D32AV-78		400	
TC50L500D32AV-78		500	

Especial para moldistas y troquelistas, reduce las vibraciones en un 60% comparandolo con un porta standard.  
Special for mould and die makers, vibration reduced up to 60% compared to any other conventional shell mill adaptor.

DIN/69871

Porta fresas fijo antivibratorio DIN/138 con refrigeración  
Antivibratory shell mill adaptors DIN/138 coolant



TC40 / TC50

ANTIVIBRATORIO

REFERENCIA	D	FORMA	L	A
TC40L200D16AV-38R	16	AD	200	38
TC40L300D16AV-38R	16		300	38
TC40L200D22AV-48R	22		200	48
TC40L300D22AV-48R	22		300	48
TC40L200D27AV-58R	27		200	58
TC50L200D16AV-38R	16	AD	200	38
TC50L300D16AV-38R	16		300	38
TC50L200D22AV-48R	22		200	48
TC50L300D22AV-48R	22		300	48
TC50L200D27AV-58R	27		200	58
TC50L300D27AV-58R	27		300	58
TC50L300D32AV-78R	32		300	78